



PP compression fittings

Reducing tee

ITEM 485

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|-------------------------|------------|---------------------------|--------------|---------------|
| 112E075 | REDUCER TEE 25-20 GREY | 0,177 | 0,04717 | 13,15 | 70 |
| 112E076 | REDUCER TEE 32-25 GREY | 0,266 | 0,04460 | 10,336 | 36 |
| 112E077 | REDUCER TEE 40-32 GREY | 0,454 | 0,04880 | 12,11 | 25 |
| 112E078 | REDUCER TEE 50-40 GREY | 0,662 | 0,04460 | 11,483 | 16 |
| 112E079 | REDUCER TEE 63-50 GREY | 1,125 | 0,06347 | 12,15 | 10 |
| 112E080 | REDUCER TEE 75-63 GREY | 2,0971 | 0,06150 | 15,6 | 7 |
| 112E081 | REDUCER TEE 90-75 GREY | 3,598 | 0,06347 | 15,292 | 4 |
| 112E082 | REDUCER TEE 110-90 GREY | 5,38 | 0,04836 | 11,6 | 2 |
| 112E280 | TE REDUCIDA 32-20 GRIS | 0,2407 | 0,03648 | 9,1714 | 36 |
| 112E282 | TE REDUCIDA 50-32 GRIS | 0 | 0,00000 | 0 | 16 |





ITEM 485 | Reducing tee

| Código | f tubo | Peso (g) | A | a | B | b | C | D | PN | MEDIDA |
|--------|--------|----------|-----|----|-----|-----|-----|-----|------|---------|
| 12E075 | 25-20 | 171 | 26 | 21 | 55 | 46 | 98 | 155 | PN16 | MÉTRICO |
| 12E280 | 32-20 | 245 | 33 | 21 | 61 | 46 | 106 | 170 | PN16 | MÉTRICO |
| 12E076 | 32-25 | 266 | 33 | 26 | 64 | 55 | 111 | 170 | PN16 | MÉTRICO |
| 12E077 | 40-32 | 432 | 42 | 33 | 76 | 64 | 130 | 206 | PN16 | MÉTRICO |
| 12E282 | 50-32 | 590 | 51 | 33 | 91 | 64 | 150 | 235 | PN16 | MÉTRICO |
| 12E078 | 50-40 | 662 | 51 | 42 | 91 | 76 | 155 | 235 | PN16 | MÉTRICO |
| 12E079 | 63-50 | 1110 | 64 | 51 | 109 | 91 | 177 | 283 | PN16 | MÉTRICO |
| 12E080 | 75-63 | 1873 | 77 | 64 | 133 | 109 | 218 | 344 | PN10 | MÉTRICO |
| 12E081 | 90-75 | 3606 | 92 | 77 | 159 | 133 | 258 | 411 | PN10 | MÉTRICO |
| 12E082 | 110-90 | 5340 | 112 | 92 | 183 | 159 | 307 | 466 | PN10 | MÉTRICO |



ITEM 485 | Reducing tee



Product Documents



Product Certificates

Company Certificates

