



Vannes à boisseau 'Basic'


Sortie Brides - PE - Système Basic

ITEM 575



| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|-----------------------------------|-----------|--------------------------|------------|----------------|
| 111B010 | VALVULA ENLACE S/BRIDAS 75 DN50 | 2,8254 | 0,03682 | 6,2 | 2 |
| 111B011 | VALVULA ENLACE S/BRIDAS 90 DN65 | 4,36 | 0,03129 | 9,2169 | 2 |
| 111B012 | VALVULA ENLACE S/BRIDAS 110 DN80 | 6,689 | 0,02244 | 13,8055 | 2 |
| 111B013 | VALVULA ENLACE S/BRIDAS 125 DN100 | 8,76 | 0,03682 | 9,3813 | 1 |
| 111B014 | VALVULA ENLACE S/BRIDAS 140 DN100 | 11,5458 | 0,03682 | 12,095 | 1 |
| 111B078 | VALVULA ENLACE S/BRIDAS 50 | 1,412 | 0,06150 | 14,9635 | 10 |
| 111B079 | VALVULA ENLACE S/BRIDAS 63 | 2,27 | 0,03682 | 10,86 | 10 |
| 111B080 | VALVULA ENLACE S/BRIDAS 75 | 3,84 | 0,03129 | 19,7 | 5 |
| 111B081 | VALVULA ENLACE S/BRIDAS 90 | 6,5391 | 0,04717 | 13,27 | 2 |
| 111B082 | VALVULA ENLACE S/BRIDAS 110 | 10,07455 | 0,04460 | 20,879 | 2 |





ITEM 575 | Sortie Brides - PE - Système Basic

| CÓDIGO | f | PESO (g) | DN | A | B | C | K | PN | MEDIDA |
|--------|-----|----------|-----|-----|-----|-----|---------|------|---------|
| 11B078 | 50 | 1412 | 40 | 218 | 150 | 77 | 110 | PN16 | MÉTRICO |
| 11B079 | 63 | 2270 | 50 | 263 | 165 | 90 | 125 | PN16 | MÉTRICO |
| 11B080 | 75 | 3840 | 65 | 312 | 185 | 121 | 145 | PN10 | MÉTRICO |
| 11B081 | 90 | 5760 | 80 | 369 | 200 | 141 | 146-160 | PN10 | MÉTRICO |
| 11B082 | 110 | 10074 | 100 | 434 | 220 | 155 | 178-190 | PN10 | MÉTRICO |
| 11B010 | 75 | 2825 | 50 | 302 | 185 | 90 | 145 | PN10 | MÉTRICO |
| 11B011 | 90 | 4360 | 65 | 360 | 200 | 121 | 146-160 | PN10 | MÉTRICO |
| 11B012 | 110 | 6689 | 80 | 426 | 220 | 141 | 178-190 | PN10 | MÉTRICO |
| 11B013 | 125 | 8760 | 100 | 458 | 230 | 155 | 190 | PN10 | MÉTRICO |
| 11B014 | 140 | 11545 | 100 | 490 | 250 | 155 | 210-216 | PN10 | MÉTRICO |





Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



ITEM 575 | Sortie Brides - PE - Système Basic



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits

Certificats d'entreprise

