



Vannes à boisseau 'Basic'

Sortie mixte, moteur électrique 220V - PTFE

ITEM 256



| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|--|-----------|--------------------------|------------|----------------|
| 1011339 | V.E MOTOR ACTU 220v S MIXTA 20-1/2" | 1,55 | 0,01553 | 1,79 | 1 |
| 1011340 | V.E MOTOR ACTU 220v S MIXTA 25-3/4" | 1,598 | 0,02244 | 2,138 | 1 |
| 1011341 | V.E MOTOR ACTU 220v S MIXTA 32-1" | 1,739 | 0,03129 | 2,299 | 1 |
| 1011342 | V.E MOTOR ACTU 220v S MIXTA 40-1 1/4" | 1,972 | 0,03129 | 2,532 | 1 |
| 1011343 | V.E MOTOR ACTU 220v S MIXTA 50-1 1/2" | 2,221 | 0,03129 | 2,781 | 1 |
| 1011344 | V E MOTOR ACTU 220v S MIXT 63-2" | 3,123 | 0,03648 | 3,823 | 1 |
| 1011345 | V.E MOTOR ACTU 220v S MIXTA 75- 2 1/2" | 4,628 | 0,04460 | 5,468 | 1 |
| 1011346 | V.E MOTOR ACTU 220v S MIXTA 90-3" | 6,274 | 0,04460 | 7,114 | 1 |
| 1011347 | V.E MOTOR ACTU 220v S MIXTA 110-4" | 8,089 | 0,04460 | 8,929 | 1 |





ITEM 256 | Sortie mixte, moteur électrique 220V - PTFE

| CÓDIGO | A - r | PESO (g) | DN | Actuador | B | b | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|-----|----------|----|----|-----|-----|-----|-----|-----|------|------------|
| 11339 | 20-1/2" | 1480 | 15 | S20 | 16 | 17 | 52 | 47 | 89 | 227 | 177 | PN16 | BSP |
| 11340 | 25-3/4" | 1528 | 20 | S20 | 19 | 20 | 59 | 51 | 99 | 232 | 177 | PN16 | BSP |
| 11341 | 32-1" | 1669 | 25 | S20 | 23 | 23 | 70 | 66 | 119 | 243 | 177 | PN16 | BSP |
| 11342 | 40-1 1/4" | 1972 | 32 | S20 | 25 | 26 | 84 | 72 | 133 | 265 | 177 | PN16 | BSP |
| 11343 | 50-1 1/2" | 2221 | 40 | S20 | 31 | 33 | 99 | 77 | 151 | 282 | 177 | PN16 | BSP |
| 11344 | 63-2" | 3123 | 50 | S20 | 38 | 29 | 121 | 90 | 167 | 352 | 177 | PN16 | BSP |
| 11345 | 75-2 1/2" | 4628 | 65 | S35 | 45 | 33 | 151 | 121 | 210 | 426 | 177 | PN10 | BSP |
| 11346 | 90-3" | 6274 | 80 | S55 | 51 | 36 | 175 | 141 | 245 | 450 | 177 | PN10 | BSP |
| 11347 | 110-4" | 8089 | 100 | S55 | 61 | 42 | 210 | 155 | 288 | 477 | 177 | PN10 | BSP |





Documentation Produit



Certifications de produits



Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es